Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	448	client with manag\$4 with print\$4 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/02 16:30
L2	147	(client with manag\$4 with print\$4).ab, ti. and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/02 16:30
L3	49	(client with manag\$4 with print\$4).ab, ti. not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/11/02 16:32
L4	67	(client with manag\$4 with print\$4)not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/02 16:32
L5	18	(client with manag\$4 with print\$4)not server and @ad<="20010111"	US-PGPUB; USPAT	OR	ON	2007/11/02 16:32
S1	10000	(709/201,223,224,225).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 09:37
S2	25	(distribut\$4) same print\$4 same ((multiple or many or several) adj2 client) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 09:43
S3	16	(("6552813") or ("6348971") or ("6654136") or ("6570669") or ("5220674") or ("5113494") or ("5450571") or ("5483653")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 09:49
<b>S4</b>	4	(("6792485") or ("5559933")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 09:49
S5	83	("5559933").URPN.	USPAT	OR	ON	2005/06/16 09:52
S6	76	S5 and @ad<="20010111"	USPAT	OR	ON	2005/06/16 09:52
S7	12	S6 and (distribut\$4) adj2 print	USPAT	OR	ON	2005/06/16 09:53

S8	0	S7 and (multiple or many or several)	USPAT	OR	ON	2005/06/16 09:54
S9	20	adj2 client ((client) near2 broadcast with print\$4)	US-PGPUB;	OR	ON	2005/06/16 10:07
59	20	((Client) nearz broadcast with prints+)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OK	ON	2003/00/10 10:07
S10	5	((client) near2 broadcast with print\$4) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:09
S11	5	(("6202092") or ("6064838")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 10:14
S12	43	centraliz\$4 adj3 management with print\$4 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:21
S13	972	(computer or client) same (many or multiple or several) near2 (computer or client) with print\$4 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:22
S14	219	((computer or client) same (many or multiple or several) near2 (computer or client) with print\$4).ab. and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:22
S15	0	((computer or client) same (many or multiple or several) near2 (computer or client) with print\$4) same bi\$direct\$4 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:22
S16	4	((computer or client) same (many or multiple or several) near2 (computer or client) with print\$4) same broadcast and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:23
S17		((computer or client) same (many or multiple or several) near2 (computer or client) with print\$4) same broadcast\$4 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:24

		LASI Searci				
S18	20134417	((computer or client) same (many or multiple or several) near2 (computer or client) with print\$4) same (distribut\$4 or management) @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:25
S19	71	((computer or client) same (many or multiple or several) near2 (computer or client) with print\$4) same (distribut\$4 or management) and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:25
S20	27	((computer or client) same (many or multiple or several) near2 (computer or client) with print\$4) same (distribut\$4 or management).ab. and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 10:25
S21	297	cluster adj2 print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 18:48
S22	144	cluster adj2 print\$4 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 18:49
S23	81	cluster adj print\$4 and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 19:09
S24	57	send\$4 with print\$4 with (multiple or many or several) with computer and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 19:10
S25	517	(print\$4) with (LAN or WAN) with (device) not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:40
S26	1	(print\$4) with (LAN or WAN) with (device) same broadcast not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:40
S27	3	(print\$4) same (LAN or WAN) with (device) same broadcast not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:47

S28	4	(print\$4) same (LAN or WAN) same (device) same broadcast not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:42
S29	0	("2002/0001495").URPN.	USPAT	OR	ON	2005/12/15 09:42
S30	38	(print\$4) same (LAN or WAN) same (device) and broadcast same message not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:42
S31	36	S30 not S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:42
S32	0	(print\$4) same (queue or list) same manager same broadcast not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:47
S33	36	(print\$4) same (queue or list) same manager and broadcast not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:47
534	35	S33 not S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:47
S35	26	(print\$4) same (queue) same manag\$4 and broadcast not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:47
S36	1	S35 not S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:47
S38	4	(print\$4) same (queue) same broadcast not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:52

	,					
S39	41	(print\$4) with (queue) and broadcast not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:56
S40	38	S39 not S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:54
S41	1	("0000358").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:54
S42	46406	("358").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:54
S43	2	S42 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:54
S44	98	(print\$4) same (queue) and broadcast not server and @ad<="20010111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:56
S45	60	S44 not S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:57
S46	7	S45 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:57
S47	20516	(printer) with processor and @ad<="20010111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/02 14:46

			T			
S48	3069	(printer) near1 processor and @ad<="20010111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/02 14:46
S49	1844	((printer) near1 processor).ab,ti. and @ad<="20010111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2007/11/02 14:47
S50	29	((printer) near1 processor with input with output).ab,ti. and @ad<="20010111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/02 14:47
S51	2	("20030160993").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/02 14:59

11/2/2007 4:33:56 PM C:\Documents and Settings\btiv\My Documents\EAST\Workspaces\10008423\_distributed\_printing\_multiple clients.wsp Page 6